

Contents

Preface	xi
Preface to the First Edition	xiii

Chapter 1. Overview of Satellite Systems	1
1.1 Introduction	1
1.2 Frequency Allocations for Satellite Services	2
1.3 Intelsat	4
1.4 U.S. Domsats	7
1.5 Polar Orbiting Satellites	11
1.6 Problems	19
Chapter 2. Orbits and Launching Methods	21
2.1 Introduction	21
2.2 Kepler's First Law	21
2.3 Kepler's Second Law	22
2.4 Kepler's Third Law	23
2.5 Definitions of Terms for Earth Orbiting Satellites	24
2.6 Orbital Elements	27
2.7 Apogee and Perigee Heights	29
2.8 Orbital Perturbations	30
2.8.1 Effects of Nonspherical Earth	30
2.8.2 Atmospheric Drag	35
2.9 Inclined Orbits	36
2.9.1 Calendars	37
2.9.2 Universal Time	38
2.9.3 Julian Dates	39
2.9.4 Sidereal Time	42
2.9.5 The Orbital Plane	43
2.9.6 The Geocentric-Equatorial Coordinate System	46
2.9.7 Earth Station Referred to the IJK Frame	49
2.9.8 The Topocentric-Horizon Coordinate System	55
2.9.9 The Subsatellite Point	57
2.9.10 Predicting Satellite Position	60
2.10 Sun-Synchronous Orbit	60

2.11 The Geostationary Orbit	63
2.11.1 Antenna Look Angles	65
2.11.2 The Polar Mount Antenna	72
2.11.3 Limits of Visibility	74
2.11.4 Earth Eclipse of Satellite	76
2.11.5 Sun Transit Outage	78
2.12 Launching Orbits	78
2.13 Problems	83
Chapter 3. Radio Wave Propagation	89
3.1 Introduction	89
3.2 Atmospheric Losses	89
3.3 Ionospheric Effects	90
3.4 Rain Attenuation	92
3.5 Other Impairments	97
3.6 Problems	97
Chapter 4. Polarization	99
4.1 Definitions	99
4.2 Antenna Polarization	104
4.3 Polarization of Satellite Signals	104
4.4 Cross-Polarization Discrimination	109
4.5 Ionospheric Depolarization	109
4.6 Rain Depolarization	111
4.7 Ice Depolarization	113
4.8 Problems	114
Chapter 5. Antennas	117
5.1 Introduction	117
5.2 Reciprocity Theorem for Antennas	118
5.3 Coordinate System	119
5.4 The Radiated Fields	120
5.5 Power Flux Density	123
5.6 The Isotropic Radiator and Antenna Gain	124
5.7 Radiation Pattern	125
5.8 Beam Solid Angle and Directive Gain	125
5.9 Effective Aperture	127
5.10 The Half-Wave Dipole	128
5.11 Aperture Antennas	130
5.12 Horn Antennas	134
5.13 The Parabolic Reflector	139
5.14 The Offset Feed	144
5.15 Double-Reflector Antennas	146
5.16 Shaped Reflector Systems	148
5.17 Arrays	149
5.18 Problems	154

Chapter 6. The Space Segment	159
6.1 Introduction	159
6.2 The Power Supply	159
6.3 Attitude Control	163
6.3.1 Spin Stabilization	164
6.3.2 Three-Axis Stabilization	167
6.4 Station Keeping	169
6.5 Thermal Control	171
6.6 TT&C Subsystem	172
6.7 Transponders	173
6.7.1 The Wideband Receiver	175
6.7.2 The Input Demultiplexer	178
6.7.3 The Power Amplifier	178
6.8 The Antenna Subsystem	185
6.9 Morelos	188
6.10 Anik-E	191
6.11 Advanced Tiros-N Spacecraft	196
6.12 Problems	199
Chapter 7. The Earth Segment	201
7.1 Introduction	201
7.2 Receive-Only Home TV Systems	201
7.2.1 The Outdoor Unit	203
7.2.2 The Indoor Unit	204
7.3 Master Antenna TV System	204
7.4 Community Antenna TV System	205
7.5 Transmit-Receive Earth Stations	206
7.6 Problems	212
Chapter 8. Analog Signals	213
8.1 Introduction	213
8.2 The Telephone Channel	213
8.3 Single-Sideband Telephony	214
8.4 FDM Telephony	216
8.5 Color Television	218
8.6 Frequency Modulation	225
8.6.1 Limiters	226
8.6.2 Bandwidth	226
8.6.3 FM Detector Noise and Processing Gain	229
8.6.4 Signal-to-Noise Ratio	231
8.6.5 Preemphasis and Deemphasis	233
8.6.6 Noise Weighting	235
8.6.7 S/N and Bandwidth for FDM/FM Telephony	235
8.6.8 Signal-to-Noise Ratio for TV/FM	238
8.7 Problems	239
Chapter 9. Digital Signals	243
9.1 Introduction	243

9.2	Digital Baseband Signals	243
9.3	Pulse-Code Modulation	248
9.4	Time-Division Multiplexing	252
9.5	Bandwidth Requirements	253
9.6	Digital Carrier Systems	256
9.6.1	Binary Phase-Shift Keying	258
9.6.2	Quadrature Phase-Shift Keying	260
9.6.3	Transmission Rate and Bandwidth for PSK Modulation	262
9.6.4	Bit Error Rate for PSK Modulation	263
9.6.5	Improved BER through Error Control Coding	268
9.7	Carrier Recovery Circuits	273
9.8	Bit Timing Recovery	274
9.9	Problems	275
Chapter 10. The Space Link		279
10.1	Introduction	279
10.2	Equivalent Isotropic Radiated Power	279
10.3	Transmission Losses	280
10.3.1	Free-Space Transmission	281
10.3.2	Feeder Losses	283
10.3.3	Antenna Misalignment Losses	283
10.3.4	Fixed Atmospheric and Ionospheric Losses	284
10.3.5	Effects of Rain	284
10.4	The Link Power Budget Equation	286
10.5	System Noise	287
10.5.1	Antenna Noise	288
10.5.2	Amplifier Noise Temperature	290
10.5.3	Amplifiers in Cascade	291
10.5.4	Noise Factor	292
10.5.5	Noise Temperature of Absorptive Networks	293
10.5.6	Overall System Noise Temperature	294
10.6	Carrier-to-Noise Ratio	296
10.7	The Uplink	297
10.7.1	Saturation Flux Density	298
10.7.2	Input Back-Off	300
10.7.3	The Earth Station HPA	301
10.7.4	Uplink Rain-Fade Margin	301
10.8	Downlink	302
10.8.1	Output Back-Off	304
10.8.2	Satellite TWTA Output	305
10.8.3	Downlink Rain-Fade Margin	306
10.9	Combined Uplink and Downlink C/N Ratio	309
10.10	Intermodulation Noise	312
10.11	Problems	314
Chapter 11. Interference		319
11.1	Introduction	319
11.2	Interference Between Satellite Circuits (B_1 and B_2 Modes)	321
11.2.1	Downlink	323
11.2.2	Uplink	324

11.2.3 Combined $[C/I]$ due to Interference on Both Uplink and Downlink	325
11.2.4 Antenna Gain Function	325
11.2.5 Passband Interference	327
11.2.6 Receiver Transfer Characteristic	328
11.2.7 Specified Interference Objectives	329
11.2.8 Protection Ratio	330
11.3 Energy Dispersal	331
11.4 Coordination	333
11.4.1 Interference Levels	335
11.4.2 Transmission Gain	335
11.4.3 Resultant Noise-Temperature Rise	337
11.4.4 Coordination Criterion	338
11.4.5 Noise Power Spectral Density	338
11.5 Problems	339
Chapter 12. Satellite Access	343
12.1 Introduction	343
12.2 Single Access	344
12.3 Preassigned FDMA	344
12.4 Demand-Assigned FDMA	349
12.5 Spade System	350
12.6 Bandwidth-Limited and Power-Limited TWT Amplifier Operation	352
12.6.1 FDMA Downlink Analysis	353
12.7 TDMA	356
12.7.1 Reference Burst	361
12.7.2 Preamble and Postamble	363
12.7.3 Carrier Recovery	363
12.7.4 Network Synchronization	364
12.7.5 Unique Word Detection	368
12.7.6 Traffic Data	371
12.7.7 Frame Efficiency and Channel Capacity	371
12.7.8 Preassigned TDMA	373
12.7.9 Demand-Assigned TDMA	375
12.7.10 Speech Interpolation and Prediction	376
12.7.11 Downlink Analysis for Digital Transmission	380
12.7.12 Comparison of Uplink Power Requirements for FDMA and TDMA	381
12.8 On-Board Signal Processing for FDMA/TDM Operation	384
12.9 Satellite-Switched TDMA	387
12.10 Code-Division Multiple Access	390
12.11 Problems	394
Chapter 13. Satellite Services	399
13.1 Introduction	399
13.2 Direct Broadcast Satellite (DBS) Services	400
13.3 MSAT	404
13.4 VSATs	406
13.5 Radarsat	408
13.6 Global Positioning Satellite System	411

13.7 Orbcomm	413
13.8 Iridium	422
13.9 Problems	437
Appendix A Answers to Selected Problems	439
Appendix B Conic Sections	445
Appendix C NASA Two-Line Orbital Elements	463
Appendix D Table of Artificial Satellites	467
Appendix E Illustrating Third-Order Intermodulation Products	473
Appendix F Acronyms	475
Appendix G Logarithmic Units	479
Appendix H Mathcad Notation	483
References	487

Index	493
-------	-----

1	28
1.1	28
1.2	29
1.3	29
1.4	29
1.5	29
1.6	29
1.7	29
1.8	29
1.9	29
1.10	29
1.11	29
1.12	29
1.13	29
1.14	29
1.15	29
1.16	29
1.17	29
1.18	29
1.19	29
1.20	29
1.21	29
1.22	29
1.23	29
1.24	29
1.25	29
1.26	29
1.27	29
1.28	29
1.29	29
1.30	29
1.31	29
1.32	29
1.33	29
1.34	29
1.35	29
1.36	29
1.37	29
1.38	29
1.39	29
1.40	29
1.41	29
1.42	29
1.43	29
1.44	29
1.45	29
1.46	29
1.47	29
1.48	29
1.49	29
1.50	29
1.51	29
1.52	29
1.53	29
1.54	29
1.55	29
1.56	29
1.57	29
1.58	29
1.59	29
1.60	29
1.61	29
1.62	29
1.63	29
1.64	29
1.65	29
1.66	29
1.67	29
1.68	29
1.69	29
1.70	29
1.71	29
1.72	29
1.73	29
1.74	29
1.75	29
1.76	29
1.77	29
1.78	29
1.79	29
1.80	29
1.81	29
1.82	29
1.83	29
1.84	29
1.85	29
1.86	29
1.87	29
1.88	29
1.89	29
1.90	29
1.91	29
1.92	29
1.93	29
1.94	29
1.95	29
1.96	29
1.97	29
1.98	29
1.99	29
2	30
2.1	30
2.2	30
2.3	30
2.4	30
2.5	30
2.6	30
2.7	30
2.8	30
2.9	30
2.10	30
2.11	30
2.12	30
2.13	30
2.14	30
2.15	30
2.16	30
2.17	30
2.18	30
2.19	30
2.20	30
2.21	30
2.22	30
2.23	30
2.24	30
2.25	30
2.26	30
2.27	30
2.28	30
2.29	30
2.30	30
2.31	30
2.32	30
2.33	30
2.34	30
2.35	30
2.36	30
2.37	30
2.38	30
2.39	30
2.40	30
2.41	30
2.42	30
2.43	30
2.44	30
2.45	30
2.46	30
2.47	30
2.48	30
2.49	30
2.50	30
2.51	30
2.52	30
2.53	30
2.54	30
2.55	30
2.56	30
2.57	30
2.58	30
2.59	30
2.60	30
2.61	30
2.62	30
2.63	30
2.64	30
2.65	30
2.66	30
2.67	30
2.68	30
2.69	30
2.70	30
2.71	30
2.72	30
2.73	30
2.74	30
2.75	30
2.76	30
2.77	30
2.78	30
2.79	30
2.80	30
2.81	30
2.82	30
2.83	30
2.84	30
2.85	30
2.86	30
2.87	30
2.88	30
2.89	30
2.90	30
2.91	30
2.92	30
2.93	30
2.94	30
2.95	30
2.96	30
2.97	30
2.98	30
2.99	30
3	31
3.1	31
3.2	31
3.3	31
3.4	31
3.5	31
3.6	31
3.7	31
3.8	31
3.9	31
3.10	31
3.11	31
3.12	31
3.13	31
3.14	31
3.15	31
3.16	31
3.17	31
3.18	31
3.19	31
3.20	31
3.21	31
3.22	31
3.23	31
3.24	31
3.25	31
3.26	31
3.27	31
3.28	31
3.29	31
3.30	31
3.31	31
3.32	31
3.33	31
3.34	31
3.35	31
3.36	31
3.37	31
3.38	31
3.39	31
3.40	31
3.41	31
3.42	31
3.43	31
3.44	31
3.45	31
3.46	31
3.47	31
3.48	31
3.49	31
3.50	31
3.51	31
3.52	31
3.53	31
3.54	31
3.55	31
3.56	31
3.57	31
3.58	31
3.59	31
3.60	31
3.61	31
3.62	31
3.63	31
3.64	31
3.65	31
3.66	31
3.67	31
3.68	31
3.69	31
3.70	31
3.71	31
3.72	31
3.73	31
3.74	31
3.75	31
3.76	31
3.77	31
3.78	31
3.79	31
3.80	31
3.81	31
3.82	31
3.83	31
3.84	31
3.85	31
3.86	31
3.87	31
3.88	31
3.89	31
3.90	31
3.91	31
3.92	31
3.93	31
3.94	31
3.95	31
3.96	31
3.97	31
3.98	31
3.99	31
4	32
4.1	32
4.2	32
4.3	32
4.4	32
4.5	32
4.6	32
4.7	32
4.8	32
4.9	32
4.10	32
4.11	32
4.12	32
4.13	32
4.14	32
4.15	32
4.16	32
4.17	32
4.18	32
4.19	32
4.20	32
4.21	32
4.22	32
4.23	32
4.24	32
4.25	32
4.26	32
4.27	32
4.28	32
4.29	32
4.30	32
4.31	32
4.32	32
4.33	32
4.34	32
4.35	32
4.36	32
4.37	32
4.38	32
4.39	32
4.40	32
4.41	32
4.42	32
4.43	32
4.44	32
4.45	32
4.46	32
4.47	32
4.48	32
4.49	32
4.50	32
4.51	32
4.52	32
4.53	32
4.54	32
4.55	32
4.56	32
4.57	32
4.58	32
4.59	32
4.60	32
4.61	32
4.62	32
4.63	32
4.64	32
4.65	32
4.66	32
4.67	32
4.68	32
4.69	32
4.70	32
4.71	32
4.72	32
4.73	32
4.74	32
4.75	32
4.76	32
4.77	32
4.78	32
4.79	32
4.80	32
4.81	32
4.82	32
4.83	32
4.84	32
4.85	32
4.86	32
4.87	32
4.88	32
4.89	32
4.90	32
4.91	32
4.92	32
4.93	32
4.94	32
4.95	32
4.96	32
4.97	32
4.98	32
4.99	32