

A/7/01

Development Environment

Starting and Quitting MATLAB

1

| | |
|---|----------|
| Starting MATLAB | 1-3 |
| Starting MATLAB on Windows Platforms | 1-3 |
| Starting MATLAB on UNIX Platforms | 1-3 |
| Startup Directory for MATLAB | 1-3 |
| Startup Options | 1-4 |
| Reducing Startup Time with Toolbox Path Caching | 1-9 |
| Quitting MATLAB | 1-14 |
| Running a Script When Quitting MATLAB | 1-14 |

33862

Using the Desktop

2

| | |
|---|----------|
| Desktop Tools | 2-4 |
| Launch Pad | 2-5 |
| Configuring the Desktop | 2-7 |
| Opening and Closing Desktop Tools | 2-7 |
| Resizing Windows | 2-9 |
| Moving Windows | 2-10 |
| Using Predefined Desktop Configurations | 2-16 |
| Common Desktop Features | 2-17 |
| Desktop Toolbar | 2-17 |
| Context Menus | 2-17 |

Compro

| | |
|---|-------------|
| Keyboard Shortcuts and Accelerators | 2-18 |
| Selecting Multiple Items | 2-19 |
| Using the Clipboard | 2-19 |
| Accessing The MathWorks on the Web | 2-20 |
| Setting Preferences | 2-21 |
| General Preferences for MATLAB | 2-23 |

Running MATLAB Functions

3

| | |
|---|-------------|
| The Command Window | 3-2 |
| Opening the Command Window | 3-2 |
| Running Functions and Entering Variables | 3-2 |
| Controlling Input and Output | 3-4 |
| Running Programs | 3-11 |
| Keeping a Session Log | 3-12 |
| Preferences for the Command Window | 3-12 |
| Command History | 3-15 |
| Viewing Functions in the Command History Window | 3-15 |
| Running Functions from the Command History Window | 3-16 |
| Copying Functions from the Command History Window | 3-17 |

Getting Help

4

| | |
|---|------------|
| Types of Information | 4-3 |
| Using the Help Browser | 4-4 |
| Changing the Size of the Help Browser | 4-5 |
| Using the Help Navigator | 4-6 |
| Using the Product Filter | 4-6 |

| | |
|--|-------------|
| Viewing the Contents Listing in the Help Browser | 4-7 |
| Finding Documentation Using the Index | 4-9 |
| Searching Documentation | 4-11 |
| Bookmarking Favorite Pages | 4-13 |
| Viewing Documentation in the Display Pane | 4-14 |
| Browsing to Other Pages | 4-15 |
| Bookmarking Pages | 4-15 |
| Revisiting Pages | 4-16 |
| Printing Pages | 4-16 |
| Finding Terms in Displayed Pages | 4-16 |
| Copying Information | 4-16 |
| Evaluating a Selection | 4-16 |
| Viewing the Page Source (HTML) | 4-17 |
| Viewing Web Pages | 4-17 |
| Preferences for the Help Browser | 4-18 |
| Documentation Location – Specifying the help Directory ... | 4-19 |
| Product Filter – Constraining the Product Documentation .. | 4-19 |
| PDF Reader – Specifying Its Location | 4-20 |
| General – Synchronizing the Contents Pane with the Displayed Page | 4-20 |
| Help Fonts Preferences – Specifying Font Name, Style, and Size | 4-20 |
| Printing Documentation | 4-23 |
| Printing a Page from the Help Browser | 4-23 |
| Printing the PDF Version of Documentation | 4-23 |
| Using Help Functions | 4-25 |
| Viewing Function Reference Pages – the doc Function | 4-26 |
| Getting Help in the Command Window – the help Function .. | 4-26 |
| Other Methods for Getting Help | 4-28 |
| Product-Specific Help Features | 4-28 |
| Running Demos | 4-28 |
| Contacting Technical Support | 4-29 |
| Providing Feedback About Help | 4-29 |
| Getting Version and License Information | 4-29 |

| | |
|---|------|
| Accessing Documentation for Other Products | 4-30 |
| Participating in the Newsgroup for MathWorks Products ... | 4-30 |

Workspace, Path, and File Operations

5

| | |
|--|------|
| MATLAB Workspace | 5-3 |
| Workspace Browser | 5-3 |
| Viewing and Editing Workspace Variables Using the Array Editor | 5-10 |
| Search Path | 5-14 |
| How the Search Path Works | 5-14 |
| Viewing and Setting the Search Path | 5-15 |
| File Operations | 5-20 |
| Current Directory Field | 5-20 |
| Current Directory Browser | 5-20 |
| Viewing and Making Changes to Directories | 5-22 |
| Creating, Renaming, Copying, and Removing Directories and Files | 5-23 |
| Opening, Running, and Viewing the Content of Files | 5-26 |
| Finding and Replacing Content Within Files | 5-28 |
| Preferences for the Current Directory Browser | 5-30 |

Importing and Exporting Data

6

| | |
|--|------|
| Importing Text Data | 6-4 |
| Using the Import Wizard with Text Data | 6-4 |
| Using Import Functions with Text Data | 6-9 |
| Importing Numeric Text Data | 6-11 |
| Importing Delimited ASCII Data Files | 6-12 |
| Importing Numeric Data with Text Headers | 6-13 |

| | |
|--|-------------|
| Importing Mixed Alphanumeric and Numeric Data | 6-14 |
| Exporting ASCII Data | 6-16 |
| Exporting Delimited ASCII Data Files | 6-17 |
| Using the diary Command to Export Data | 6-18 |
| Importing Binary Data | 6-20 |
| Using the Import Wizard with Binary Data Files | 6-20 |
| Using Import Functions with Binary Data | 6-22 |
| Exporting Binary Data | 6-25 |
| Exporting MATLAB Graphs in AVI Format | 6-27 |
| Working with HDF Data | 6-29 |
| Overview of MATLAB HDF Support | 6-30 |
| MATLAB HDF Function Calling Conventions | 6-31 |
| Importing HDF Data into the MATLAB Workspace | 6-33 |
| Exporting MATLAB Data in an HDF File | 6-41 |
| Including Metadata in an HDF File | 6-47 |
| Using the MATLAB HDF Utility API | 6-49 |
| Using Low-Level File I/O Functions | 6-51 |
| Opening Files | 6-52 |
| Reading Binary Data | 6-54 |
| Writing Binary Data | 6-55 |
| Controlling Position in a File | 6-56 |
| Reading Strings Line-By-Line from Text Files | 6-58 |
| Reading Formatted ASCII Data | 6-59 |
| Writing Formatted Text Files | 6-61 |
| Closing a File | 6-62 |

Editing and Debugging M-Files

7

| | |
|---|------------|
| Starting the Editor/Debugger | 7-3 |
| Creating a New M-File in the Editor/Debugger | 7-4 |
| Opening Existing M-Files in the Editor/Debugger | 7-4 |

| | |
|--|-------------|
| Opening the Editor Without Starting MATLAB | 7-5 |
| Closing the Editor/Debugger | 7-6 |
| Creating and Editing M-Files with the Editor/Debugger .. | 7-7 |
| Appearance of an M-File | 7-7 |
| Navigating in an M-File | 7-9 |
| Saving M-Files | 7-13 |
| Printing an M-File | 7-13 |
| Closing M-Files | 7-13 |
| Debugging M-Files | 7-15 |
| Types of Errors | 7-15 |
| Finding Errors | 7-15 |
| Debugging Example – The Collatz Problem | 7-16 |
| Trial Run for Example | 7-18 |
| Using Debugging Features | 7-20 |
| Preferences for the Editor/Debugger | 7-32 |
| General Preferences for the Editor/Debugger | 7-33 |
| Font & Colors Preferences for the Editor/Debugger | 7-34 |
| Display Preferences for the Editor/Debugger | 7-35 |
| Keyboard and Indenting Preferences for the Editor/Debugger | 7-37 |
| Printing Preferences for the Editor/Debugger | 7-39 |

Improving M-File Performance – the Profiler

8

| | |
|---------------------------------------|------------|
| What Is Profiling? | 8-3 |
| Using the Profiler | 8-4 |
| The profile Function | 8-4 |
| An Example Using the Profiler | 8-6 |
| Viewing Profiler Results | 8-7 |
| Viewing Profile Reports | 8-7 |
| Profile Plot | 8-12 |
| Saving Profile Reports | 8-13 |

Interfacing with Source Control Systems

9

| | |
|--|------|
| Process of Interfacing to an SCS | 9-3 |
| Viewing or Selecting the Source Control System | 9-5 |
| Function Alternative for Viewing the SCS | 9-5 |
| Setting Up the Source Control System | 9-6 |
| For SourceSafe Only – Mirroring MATLAB Hierarchy | 9-6 |
| For ClearCase on UNIX Only – Set a View and Check Out a Directory | 9-6 |
| Specifying the Project Configuration File – For PVCS Only | 9-7 |
| Checking Files into the Source Control System | 9-8 |
| Function Alternative for Checking In Files | 9-9 |
| Checking Files Out of the SCS | 9-10 |
| Function Alternative for Checking Out Files | 9-11 |
| Undoing the Check-Out | 9-11 |

Using Notebook

10

| | |
|--|-------|
| Notebook Basics | 10-3 |
| Creating an M-Book | 10-3 |
| Entering MATLAB Commands in an M-Book | 10-6 |
| Protecting the Integrity of Your Workspace | 10-6 |
| Ensuring Data Consistency | 10-7 |
| Defining MATLAB Commands as Input Cells | 10-8 |
| Defining Cell Groups | 10-8 |
| Defining Autoinit Input Cells | 10-10 |
| Defining Calc Zones | 10-10 |
| Converting an Input Cell to Text | 10-11 |

| | |
|---|--------------|
| Evaluating MATLAB Commands | 10-12 |
| Evaluating Cell Groups | 10-13 |
| Evaluating a Range of Input Cells | 10-14 |
| Evaluating a Calc Zone | 10-14 |
| Evaluating an Entire M-Book | 10-15 |
| Using a Loop to Evaluate Input Cells Repeatedly | 10-15 |
| Converting Output Cells to Text | 10-16 |
| Deleting Output Cells | 10-17 |
| | |
| Printing and Formatting an M-Book | 10-18 |
| Printing an M-Book | 10-18 |
| Modifying Styles in the M-Book Template | 10-18 |
| Choosing Loose or Compact Format | 10-19 |
| Controlling Numeric Output Format | 10-20 |
| Controlling Graphic Output | 10-20 |
| | |
| Configuring Notebook | 10-24 |
| | |
| Notebook Command Reference | 10-26 |
| Bring MATLAB to Front Command | 10-26 |
| Define Autoinit Cell Command | 10-26 |
| Define Calc Zone Command | 10-27 |
| Define Input Cell Command | 10-27 |
| Evaluate Calc Zone Command | 10-28 |
| Evaluate Cell Command | 10-28 |
| Evaluate Loop Command | 10-29 |
| Evaluate M-Book Command | 10-30 |
| Group Cells Command | 10-30 |
| Hide Cell Markers Command | 10-31 |
| Notebook Options Command | 10-31 |
| Purge Output Cells Command | 10-31 |
| Toggle Graph Output for Cell Command | 10-31 |
| Undefine Cells Command | 10-32 |
| Ungroup Cells Command | 10-32 |

Mathematics

Matrices and Linear Algebra

11

| | |
|--|-------|
| Function Summary | 11-3 |
| Matrices in MATLAB | 11-5 |
| Creation | 11-5 |
| Addition and Subtraction | 11-7 |
| Vector Products and Transpose | 11-7 |
| Matrix Multiplication | 11-9 |
| The Identity Matrix | 11-11 |
| The Kronecker Tensor Product | 11-11 |
| Vector and Matrix Norms | 11-12 |
| Solving Linear Equations | 11-13 |
| Overview | 11-13 |
| Square Systems | 11-15 |
| Overdetermined Systems | 11-15 |
| Underdetermined Systems | 11-18 |
| Inverses and Determinants | 11-21 |
| Overview | 11-21 |
| Pseudoinverses | 11-22 |
| Cholesky, LU, and QR Factorizations | 11-25 |
| Cholesky Factorization | 11-25 |
| LU Factorization | 11-26 |
| QR Factorization | 11-28 |
| Matrix Powers and Exponentials | 11-32 |
| Eigenvalues | 11-35 |
| Singular Value Decomposition | 11-39 |

| | |
|--|-------|
| Polynomials | 12-3 |
| Polynomial Function Summary | 12-3 |
| Representing Polynomials | 12-4 |
| Polynomial Roots | 12-4 |
| Characteristic Polynomials | 12-5 |
| Polynomial Evaluation | 12-5 |
| Convolution and Deconvolution | 12-6 |
| Polynomial Derivatives | 12-6 |
| Polynomial Curve Fitting | 12-7 |
| Partial Fraction Expansion | 12-8 |
| | |
| Interpolation | 12-10 |
| Interpolation Function Summary | 12-10 |
| One-Dimensional Interpolation | 12-11 |
| Two-Dimensional Interpolation | 12-13 |
| Comparing Interpolation Methods | 12-14 |
| Interpolation and Multidimensional Arrays | 12-16 |
| Triangulation and Interpolation of Scattered Data | 12-19 |
| Tessellation and Interpolation of Scattered Data in Higher Dimensions | 12-25 |
| | |
| Selected Bibliography | 12-35 |

Data Analysis and Statistics

| | |
|---|-------|
| Column-Oriented Data Sets | 13-4 |
| | |
| Basic Data Analysis Functions | 13-8 |
| Function Summary | 13-8 |
| Covariance and Correlation Coefficients | 13-11 |
| Finite Differences | 13-12 |
| | |
| Data Preprocessing | 13-14 |

| | |
|--|--------------|
| Missing Values | 13-14 |
| Removing Outliers | 13-15 |
| Regression and Curve Fitting | 13-17 |
| Polynomial Regression | 13-18 |
| Linear-in-the-Parameters Regression | 13-19 |
| Multiple Regression | 13-21 |
| Case Study: Curve Fitting | 13-22 |
| Polynomial Fit | 13-22 |
| Analyzing Residuals | 13-24 |
| Exponential Fit | 13-27 |
| Error Bounds | 13-30 |
| The Basic Fitting Interface | 13-31 |
| Difference Equations and Filtering | 13-40 |
| Fourier Analysis and the Fast Fourier Transform (FFT) | 13-42 |
| Function Summary | 13-42 |
| Introduction | 13-43 |
| Magnitude and Phase of Transformed Data | 13-48 |
| FFT Length Versus Speed | 13-49 |

Function Functions

14

| | |
|---|-------------|
| Function Summary | 14-3 |
| Representing Functions in MATLAB | 14-4 |
| Plotting Mathematical Functions | 14-6 |
| Minimizing Functions and Finding Zeros | 14-9 |
| Minimizing Functions of One Variable | 14-9 |
| Minimizing Functions of Several Variables | 14-10 |
| Setting Minimization Options | 14-10 |
| Finding Zeros of Functions | 14-12 |

| | |
|---|--------------|
| Tips | 14-14 |
| Troubleshooting | 14-14 |
| Converting Your Optimization Code to MATLAB Version 5 Syntax | 14-15 |
| Numerical Integration (Quadrature) | 14-18 |
| Example: Computing the Length of a Curve | 14-18 |
| Example: Double Integration | 14-19 |

Differential Equations

15

| | |
|--|------------------|
| Initial Value Problems for ODEs and DAEs | 15-3 |
| ODE Function Summary | 15-3 |
| Introduction to Initial Value ODE Problems | 15-5 |
| Initial Value Problem Solvers | 15-6 |
| Representing ODE Problems | 15-10 |
| Improving ODE Solver Performance | 15-15 |
| Examples: Applying the ODE Initial Value Problem Solvers | 15-30 |
| Questions and Answers, and Troubleshooting | 15-49 |
| Boundary Value Problems for ODEs | 15-56 |
| BVP Function Summary | 15-56 |
| Introduction to Boundary Value ODE Problems | 15-57 |
| Boundary Value Problem Solver | 15-59 |
| Representing BVP Problems | 15-62 |
| Making a Good Initial Guess | 15-66 |
| Improving BVP Solver Performance | 15-70 |
| Partial Differential Equations | 15-76 |
| PDE Function Summary | 15-76 |
| Introduction to PDE Problems | 15-77 |
| MATLAB Partial Differential Equation Solver | 15-78 |
| Representing PDE Problems | 15-82 |
| Improving PDE Solver Performance | 15-87 |
| Example: Electrodynamics Problem | 15-88 |

Sparse Matrices

16

| | |
|---|--------------|
| Function Summary | 16-3 |
| Introduction | 16-6 |
| Sparse Matrix Storage | 16-6 |
| General Storage Information | 16-7 |
| Creating Sparse Matrices | 16-7 |
| Importing Sparse Matrices from Outside MATLAB | 16-12 |
| Viewing Sparse Matrices | 16-13 |
| Information About Nonzero Elements | 16-13 |
| Viewing Sparse Matrices Graphically | 16-15 |
| The find Function and Sparse Matrices | 16-16 |
| Example: Adjacency Matrices and Graphs | 16-17 |
| Introduction to Adjacency Matrices | 16-17 |
| Graphing Using Adjacency Matrices | 16-18 |
| The Bucky Ball | 16-18 |
| An Airflow Model | 16-23 |
| Sparse Matrix Operations | 16-25 |
| Computational Considerations | 16-25 |
| Standard Mathematical Operations | 16-25 |
| Permutation and Reordering | 16-26 |
| Factorization | 16-30 |
| Simultaneous Linear Equations | 16-36 |
| Eigenvalues and Singular Values | 16-39 |
| Selected Bibliography | 16-42 |

Programming and Data Types

M-File Programming

17

| | |
|---|-------|
| MATLAB Programming: A Quick Start | 17-3 |
| Kinds of M-Files | 17-3 |
| What's in an M-File? | 17-4 |
| Providing Help for Your Programs | 17-4 |
| Creating M-Files: Accessing Text Editors | 17-5 |
| Scripts | 17-7 |
| Simple Script Example | 17-7 |
| Functions | 17-8 |
| Simple Function Example | 17-8 |
| Basic Parts of a Function M-File | 17-9 |
| Function Names | 17-11 |
| How Functions Work | 17-12 |
| Checking the Number of Function Arguments | 17-14 |
| Passing Variable Numbers of Arguments | 17-16 |
| Local and Global Variables | 17-19 |
| Persistent Variables | 17-20 |
| Special Values | 17-21 |
| Data Types | 17-22 |
| Operators | 17-25 |
| Arithmetic Operators | 17-25 |
| Relational Operators | 17-27 |
| Logical Operators | 17-28 |
| Operator Precedence | 17-31 |
| Flow Control | 17-34 |
| if, else, and elseif | 17-34 |

| | |
|---|--------------|
| switch | 17-36 |
| while | 17-38 |
| for | 17-39 |
| continue | 17-40 |
| break | 17-40 |
| try ... catch | 17-41 |
| return | 17-41 |
| Subfunctions | 17-42 |
| Private Functions | 17-44 |
| Subscribing and Indexing | 17-45 |
| Subscripts | 17-45 |
| Advanced Indexing | 17-48 |
| String Evaluation | 17-51 |
| eval | 17-51 |
| feval | 17-51 |
| Command/Function Duality | 17-53 |
| Empty Matrices | 17-54 |
| Operating on an Empty Matrix | 17-54 |
| Using Empty Matrices with If or While | 17-55 |
| Errors and Warnings | 17-56 |
| Error Handling with eval and lasterr | 17-56 |
| Displaying Error and Warning Messages | 17-57 |
| Dates and Times | 17-59 |
| Date Formats | 17-59 |
| Current Date and Time | 17-64 |
| Obtaining User Input | 17-66 |
| Prompting for Keyboard Input | 17-66 |
| Pausing During Execution | 17-66 |
| Shell Escape Functions | 17-67 |

| | |
|--------------------------------------|--------------|
| Optimizing MATLAB Code | 17-68 |
| Vectorizing Loops | 17-68 |
| Preallocating Arrays | 17-70 |
| Making Efficient Use of Memory | 17-71 |

Character Arrays (Strings)

18

| | |
|---|--------------|
| Character Arrays | 18-5 |
| Creating Character Arrays | 18-5 |
| Creating Two-Dimensional Character Arrays | 18-6 |
| Converting Characters to Numeric Values | 18-7 |
| Cell Arrays of Strings | 18-8 |
| Converting to a Cell Array of Strings | 18-8 |
| String Comparisons | 18-10 |
| Comparing Strings For Equality | 18-10 |
| Comparing for Equality Using Operators | 18-11 |
| Categorizing Characters Within a String | 18-12 |
| Searching and Replacing | 18-13 |
| String/Numeric Conversion | 18-15 |
| Array/String Conversion | 18-16 |

Multidimensional Arrays

19

| | |
|---|--------------|
| Multidimensional Arrays | 19-3 |
| Creating Multidimensional Arrays | 19-4 |
| Accessing Multidimensional Array Properties | 19-8 |
| Indexing | 19-9 |
| Reshaping | 19-10 |

| | |
|--|--------------|
| Permuting Array Dimensions | 19-12 |
| Computing with Multidimensional Arrays | 19-14 |
| Operating on Vectors | 19-14 |
| Operating Element-by-Element | 19-14 |
| Operating on Planes and Matrices | 19-15 |
| Organizing Data in Multidimensional Arrays | 19-16 |
| Multidimensional Cell Arrays | 19-18 |
| Multidimensional Structure Arrays | 19-19 |
| Applying Functions to Multidimensional Structure Arrays .. | 19-20 |

Structures and Cell Arrays

20

| | |
|---|--------------|
| Structures | 20-3 |
| Building Structure Arrays | 20-4 |
| Accessing Data in Structure Arrays | 20-6 |
| Finding the size of Structure Arrays | 20-9 |
| Adding Fields to Structures | 20-9 |
| Deleting Fields from Structures | 20-9 |
| Applying Functions and Operators | 20-9 |
| Writing Functions to Operate on Structures | 20-10 |
| Organizing Data in Structure Arrays | 20-11 |
| Nesting Structures | 20-16 |
| Cell Arrays | 20-18 |
| Creating Cell Arrays | 20-19 |
| Obtaining Data from Cell Arrays | 20-22 |
| Deleting Cells | 20-23 |
| Reshaping Cell Arrays | 20-24 |
| Replacing Lists of Variables with Cell Arrays | 20-24 |
| Applying Functions and Operators | 20-26 |
| Organizing Data in Cell Arrays | 20-26 |
| Nesting Cell Arrays | 20-28 |

| | |
|--|-------|
| Converting Between Cell and Numeric Arrays | 20-29 |
| Cell Arrays of Structures | 20-30 |

Function Handles

| | |
|--|--------------|
| Benefits of Using Function Handles | 21-3 |
| A Simple Function Handle | 21-5 |
| Constructing a Function Handle | 21-7 |
| Maximum Length of a Function Name | 21-7 |
| Evaluating a Function Through Its Handle | 21-9 |
| Function Evaluation and Overloading | 21-9 |
| Examples of Function Handle Evaluation | 21-10 |
| Displaying Function Handle Information | 21-13 |
| Function Handle Operations | 21-14 |
| Converting Function Handles to Function Names | 21-14 |
| Converting Function Names to Function Handles | 21-15 |
| Testing for Data Type | 21-16 |
| Testing for Equality | 21-16 |
| Saving and Loading Function Handles | 21-18 |
| Handling Error Conditions | 21-19 |
| Handles to Nonexistent Functions | 21-19 |
| Including Path In the Function Handle Constructor | 21-19 |
| Evaluating a Nonscalar Function Handle | 21-20 |
| Historical Note - Evaluating Function Names | 21-21 |

| | |
|---|--------------|
| Classes and Objects: An Overview | 22-3 |
| Features of Object-Oriented Programming | 22-3 |
| MATLAB Data Class Hierarchy | 22-4 |
| Creating Objects | 22-4 |
| Invoking Methods on Objects | 22-5 |
| Private Methods | 22-6 |
| Helper Functions | 22-6 |
| Debugging Class Methods | 22-6 |
| Setting Up Class Directories | 22-7 |
| Data Structure | 22-8 |
| Tips for C++ and Java Programmers | 22-8 |
| | |
| Designing User Classes in MATLAB | 22-9 |
| The MATLAB Canonical Class | 22-9 |
| The Class Constructor Method | 22-10 |
| Examples of Constructor Methods | 22-11 |
| Identifying Objects Outside the Class Directory | 22-11 |
| The display Method | 22-12 |
| Accessing Object Data | 22-13 |
| The set and get Methods | 22-13 |
| Indexed Reference Using subsref and subsasgn | 22-14 |
| How to Write subsref | 22-16 |
| Subscripted Assignment | 22-17 |
| Defining end Indexing for an Object | 22-17 |
| Indexing an Object with Another Object | 22-18 |
| Converter Methods | 22-19 |
| | |
| Overloading Operators and Functions | 22-20 |
| Overloading Operators | 22-20 |
| Overloading Functions | 22-22 |
| | |
| Example - A Polynomial Class | 22-23 |
| Polynom Data Structure | 22-23 |
| Polynom Methods | 22-23 |
| The Polynom Constructor Method | 22-23 |
| Converter Methods for the Polynom Class | 22-24 |
| The Polynom display Method | 22-27 |

| | |
|--|--------------|
| The Polynom subsref Method | 22-27 |
| Overloading Arithmetic Operators for polynom | 22-28 |
| Overloading Functions for the Polynom Class | 22-30 |
| Listing Class Methods | 22-32 |
| Building on Other Classes | 22-34 |
| Simple Inheritance | 22-34 |
| Multiple Inheritance | 22-35 |
| Aggregation | 22-36 |
| Example - Assets and Asset Subclasses | 22-37 |
| Inheritance Model for the Asset Class | 22-37 |
| Asset Class Design | 22-38 |
| Other Asset Methods | 22-38 |
| The Asset Constructor Method | 22-38 |
| The Asset get Method | 22-40 |
| The Asset set Method | 22-40 |
| The Asset subsref Method | 22-41 |
| The Asset subsasgn Method | 22-42 |
| The Asset display Method | 22-43 |
| The Asset fieldcount Method | 22-44 |
| Designing the Stock Class | 22-44 |
| The Stock Constructor Method | 22-45 |
| The Stock get Method | 22-47 |
| The Stock set Method | 22-47 |
| The Stock subsref Method | 22-48 |
| The Stock subsasgn Method | 22-50 |
| The Stock display Method | 22-51 |
| Example - The Portfolio Container | 22-53 |
| Designing the Portfolio Class | 22-53 |
| The Portfolio Constructor Method | 22-54 |
| The Portfolio display Method | 22-55 |
| The Portfolio pie3 Method | 22-56 |
| Creating a Portfolio | 22-57 |
| Saving and Loading Objects | 22-59 |
| Modifying Objects During Save or Load | 22-59 |

| | |
|---|--------------|
| Example - Defining saveobj and loadobj for Portfolio . . . | 22-60 |
| Summary of Code Changes | 22-60 |
| The saveobj Method | 22-61 |
| The loadobj Method | 22-61 |
| Changing the Portfolio Constructor | 22-62 |
| The Portfolio subsref Method | 22-63 |
| Object Precedence | 22-64 |
| Specifying Precedence of User-Defined Classes | 22-65 |
| How MATLAB Determines Which Method to Call | 22-66 |
| Selecting a Method | 22-66 |
| Querying Which Method MATLAB Will Call | 22-69 |

External Interfaces and the MATLAB API

A

| | |
|---|------------|
| Finding the Documentation in Online Help | A-2 |
| Reference Documentation | A-4 |