

## INDICE

<b>Contents</b>	3
<b>Introduction</b>	7
<b>Part 1. Ten statistical highlights in global public health</b>	9
1. Child mortality: the gap within countries is not closing	10
2. Risk factor transition: high prevalence of tobacco use among youth worldwide	11
3. Infant immunization coverage: where are we now?	12
4. Health workforce, health expenditure and disease burden: higher burden, fewer resources	13
5. Cause of death and burden of disease: global epidemic of chronic incommunicable diseases	14
6. Tuberculosis and DOTS: national progress towards the global targets	15
7. Government spending on health care: monitoring the Abuja declaration target	16
8. Nutrition transition: high levels of child undernutrition and adult obesity coexist	17
9. HIV/AIDS and “3 by 5”: people receiving antiretroviral treatment tripled in two years	18
10. Health forecast: projecting causes of death to 2030	19
<b>Part 2. World health statistics</b>	21
<b>Health status: mortality</b> Life expectancy at birth (years) Healthy life expectancy (HALE) at birth (years) Probability of dying (per 1000 population) between age 15 and 60 years (adult mortality rate) Probability of dying (per 1000 population) under five years of age (under-5 mortality rate) Infant mortality rate (per 1000 live births) Neonatal mortality rate (per 1000 live births) Maternal mortality ratio (per 100 000 live births) Deaths due to HIV/AIDS (per 100 000 population per year) Deaths due to tuberculosis (per 100 000 population per year) Age-standardized mortality rate by cause (per 100 000 population) Years of life lost by broader cause of death, all ages (%) Causes of death among children under five years of age (%)	22
<b>Health status: morbidity</b> HIV prevalence among adults aged 15-49 years (%) Incidence tuberculosis (per 100 000 population per year) Prevalence of tuberculosis (per 100 000 population) Number of confirmed poliomyelitis cases	30
Health service coverage One-year-olds immunized with one dose of measles (%) One-year-olds immunized with three doses of diphtheria, tetanus toxoid and pertussis (DTP3) (%) One-year-olds immunized with three doses of hepatitis B (HepB3) (%) Antenatal care coverage (%) Births attended by skilled health personnel (%) Contraceptive prevalence rate (%)	34

<p>Children under five years of age sleeping under insecticide-treated nets (%)</p> <p>People with advanced HIV infection receiving antiretroviral (ARV) combination therapy (%)</p> <p>Tuberculosis: DOTS case detection rate (%)</p> <p>Tuberculosis: DOTS treatment success (%)</p> <p>Children under five years of age with acute respiratory infection and fever (ARI) taken to facility (%)</p> <p>Children under five years of age with fever who received treatment with any antimalarial (%)</p> <p>Children 6-59 months of age who received vitamin A supplementation (%)</p> <p>Births by Caesarean section (%9</p>	
<p><b>Risk factors</b></p> <p>Children under five of age stunted for age (%)</p> <p>Children under five years of age underweight for age (%)</p> <p>Children under five years of age overweight for age (%)</p> <p>Newborns with low birth weight (%)</p> <p>Prevalence of adults (15 years and older) who are obese (%)</p> <p>Population with sustainable access to an improved water source (%)</p> <p>Population with sustainable access to improved sanitation (%)</p> <p>Population using solid fuels (%)</p> <p>Prevalence of current tobacco use in adolescents (13-15 years of age) (%)</p> <p>Prevalence of current (daily or occasional) tobacco smoking among adults (15 years and older) (%)</p> <p>Condom use at higher risk sex in young people aged 15-24 years (%)</p>	42
<p><b>Health systems</b></p> <p>Human resources for health</p> <p>Physicians; Nurses; Midwives; Dentists; Pharmacists; Public and environmental health workers; Community health workers&lt;, Lab technicians; Other health workers; Health management and support workers</p>	50
<p>Health expenditures ratios</p> <p>Total expenditure on health as percentage of gross domestic product</p> <p>General government expenditure on health as percentage of total expenditure on health</p> <p>Private expenditure on health as percentage of total expenditure on health</p> <p>General government expenditure on health as percentage of total government expenditure</p> <p>External resources for health as percentage of total expenditure on health</p> <p>Social security expenditure on health as percentage of general government expenditure on health</p> <p>Out-of-pocket expenditure as percentage of private expenditure on health</p> <p>Private prepaid plans as percentage of private expenditure on health</p>	58
<p>Health expenditure aggregates</p> <p>Per capita total expenditure on health at average exchange rate (US\$)</p> <p>Per capita total expenditure on health at international dollar rate</p>	59

Per capita government expenditure on health at average exchange rate (US\$) Per capita government expenditure on health at international dollar rate Coverage of vital registration of deaths (%) Number of hospital beds (per 10 000 population)	
<b>Inequities in health</b> Probability of dying per 1000 live births under five years of age (under-5 mortality rate) by place of residence; by wealth quintile; by educational level of mother Children under five years stunted for age (%) by place of residence; by wealth quintile; by educational level of mother Births attended by skilled health personnel (%) by place of residence; by wealth quintile; by educational level of mother Measles immunization coverage among one-year-olds (%) by place of residence; by wealth quintile; by educational level of mother	66
<b>Demographic and socioeconomic statistics</b> Population (in thousands) Annual population growth rate (%) Population in urban areas (%) Total fertility rate (per women) Adolescent fertility proportion (%) Adult literacy rate (%) Net primary school enrolment ratio (%) Gross national income per capita (international \$) Population below the poverty line (5 of the population living on less than \$1 a day)	70